

### **Listing and Amendments to the Claims**

This listing of claims will replace all previous versions and listings of claims:

- 1.(currently amended): A method for enhancing a usage of a telephone ~~(400)~~, the method comprising:
  - receiving an incoming call;
  - detecting an ambient noise level; and
  - enhancing the incoming call to make it more understandable by a recipient of the incoming call where the detected ambient noise level is greater than a predetermined threshold noise level, wherein the enhancing includes converting the incoming call to text and displaying the text.
- 2.(currently amended): The method of claim 1, wherein the enhancing further comprises automatically amplifying a loudness of the incoming call to the recipient of the incoming call.
- 3.(currently amended): The method of claim 1, wherein the ~~enhancing comprises converting the incoming call to text and displaying of~~ the text is to the recipient of the incoming call.
- 4.(currently amended): The method of claim 1, wherein the enhancing further comprises automatically amplifying a loudness of the incoming call to the recipient of the incoming call and ~~converting the incoming call to text and~~ the displaying of the text is to the recipient of the incoming call.
- 5.(currently amended): The method of claim 1, wherein the telephone is a cellular telephone ~~(100)~~.
- 6.(currently amended): The method of claim 2, further comprising detecting whether a headphones ~~(118)~~ is operatively connected to the telephone ~~(400)~~, wherein the amplifying is only carried out when the headphones are detected as being operatively connected.

7.(currently amended): A telephone ~~(100)~~ comprising:  
     a receiver ~~(102)~~ for receiving an incoming call;  
     a noise sensor ~~(120)~~ for detecting an ambient noise level; and  
     a processor ~~(104)~~ for enhancing the incoming call to make it more understandable by a recipient of the incoming call where the detected ambient noise level is greater than a predetermined threshold noise level, wherein the enhancing includes converting the incoming call to alphanumeric text and displaying the alphanumeric text.

8.(currently amended): The telephone of claim 7, further comprising a speaker ~~(106)~~ for reproducing the incoming call, wherein the processor ~~(104)~~ automatically amplifies a loudness of the incoming call on the speaker where the detected ambient noise level is greater than the predetermined threshold noise level.

9.(currently amended): The telephone of claim 7, further comprising a display screen ~~(110)~~ for displaying the alphanumeric text to the recipient of the incoming call, ~~wherein the processor (104) converts the incoming call to text and displays the text to the recipient of the incoming call where the detected ambient noise level is greater than the predetermined threshold noise level.~~

10.(currently amended): The telephone of claim 7, further comprising a speaker ~~(106)~~ for reproducing the incoming call and a display screen ~~(110)~~ for displaying the alphanumeric text to the recipient of the incoming call, wherein the processor ~~(104)~~ automatically amplifies a loudness of the incoming call on the speaker, converts the incoming call to text, and displays the text to the recipient of the incoming call where the detected ambient noise level is greater than the predetermined threshold noise level.

11.(currently amended): The telephone of claim 7, wherein the telephone is a cellular telephone ~~(100)~~.

12.(currently amended): The telephone of claim 8, wherein the processor-~~(104)~~ further detects whether a headphones-~~(118)~~ is operatively connected to the telephone-~~(100)~~, wherein the processor-~~(104)~~ only amplifies the incoming call on the speaker-~~(106)~~ where the headphones are detected as being operatively connected.

13.(currently amended): A computer program product embodied in a computer-readable medium for enhancing a usage of a telephone-~~(100)~~, the computer program product comprising:

computer readable program code means for receiving an incoming call;

computer readable program code means for detecting an ambient noise level; and

computer readable program code means for enhancing the incoming call to make it more understandable by a recipient of the incoming call where the detected ambient noise level is greater than a predetermined threshold noise level, wherein the enhancing includes converting the incoming call to text and displaying the text.

14.(currently amended): The computer program product of claim 13, wherein the computer readable program code means for enhancing further comprises computer readable program code means for automatically amplifying a loudness of the incoming call to the recipient of the incoming call.

15.(currently amended): The computer program product of claim 13, wherein the ~~computer-readable program code means for enhancing comprises computer-readable program code means for converting the incoming call to text and displaying of the text is~~ to the recipient of the incoming call.

16.(currently amended): A program storage device readable by machine, tangibly embodying a program of instructions executable by the machine to perform method steps for enhancing a usage of a telephone-~~(100)~~, the method comprising:

receiving an incoming call;

detecting an ambient noise level; and

enhancing the incoming call to make it more understandable by a recipient of the incoming call where the detected ambient noise level is greater than a predetermined threshold noise level, wherein the enhancing includes converting the incoming call to text and displaying the text.

17.(currently amended): The program storage device of claim 16, wherein the enhancing further comprises automatically amplifying a loudness of the incoming call to the recipient of the incoming call.

18.(currently amended): The program storage device of claim 16, wherein the enhancing comprises ~~converting the incoming call to text and displaying of~~ the text is to the recipient of the incoming call.